



KOKO OIL
VIRGIN COCONUT OIL MANUFACTURER

Export Packaging Brochure

2016.2



Retail Packaging

In this brochure you can find the standard solutions we offer to our export partners. If you have any special requests, please do not hesitate to contact us appropriately.

Private Labeling

Koko Oil works with industry-leading designers that can create new product labels from scratch, alter or improve your existing label. Please contact us to get an idea of our professional design capabilities.

Leyte Koko Oil Inc.

Brgy. Maanda, Leyte, Leyte, Philippines 6533 | info@koko.ph | www.koko.ph

▲ M-7154

Multipurpose Jar 300 mL

Material:	Glass
Lid:	(Dubai) Gold, Silver 82 mm
Colour:	Flint
Minimum order:	1 Pallet
Weight: (inclusive oil & lid)	± 482 g
Jars / box:	24
Size box:	570 x 390 x 95 mm
Jars / pallet: (110 x 110 cm)	1440
Pallet weight: (excl. pallet)	± 694 kg
Price / jar: (excl. filling)	USD 0.35
Price / cap:	USD 0.20



▲ M-7368

Wide-mouth Jar 473 mL

Material:	Glass
Lid:	(Dubai) Gold, Silver 82 mm
Colour:	Flint
Minimum order:	1 Pallet
Weight: (inclusive oil & lid)	± 645 g
Jars / box:	6
Size box:	260 x 180 x 120 mm
Jars / pallet: (110 x 110 cm)	1152
Pallet weight: (excl. pallet)	± 743 kg
Price / jar: (excl. filling)	USD 0.45
Price / cap:	USD 0.20



▲ M-7303

Preserve Jar 500 mL

Material:	Glass
Lid:	Gold, White 70 mm
Colour:	Flint
Minimum order:	1 Pallet
Weight: (inclusive oil & lid)	± 716 g
Jars / box:	12
Size box:	370 x 280 x 140 mm
Jars / pallet: (110 x 110 cm)	1008
Pallet weight: (excl. pallet)	± 721 kg
Price / jar: (excl. filling)	USD 0.40
Price / cap:	USD 0.20



Paper IBC

Bulk Container 1000 l

Material:	High Density Laminated AAA Biograde Paper - 12 ply CB Flute
Inner dimension:	1000 x 1000 x 1000 mm
Outer dimension:	1090 x 1090 x 1000 mm
Wall thickness:	45 mm
Weight:	28 kg
Volume capacity:	1000 l
Stacking loaded in transit:	2
Packing 20' FCL container:	20
Packing 40' FCL container:	40
Price: (incl. pallet & heating pad)	USD 250



Heating Pad

Code: HPSQ930-220

Input voltage:	220 V
Output power:	800 W
Current:	3.9 A at 230 V (nominal)
Resistance:	Minimum 55.9 W Maximum 64.7 W
Heating type:	Linear, about 1° C / h
Output control temperature:	55-60° C
Output protection temperature:	80° C
Size:	930 x 930 mm
Material:	0.05 mm aluminium foil
Price:	NA



Heating Pad

Code: HPSQ930-110

Input voltage:	110 V
Output power:	800 W
Current:	3.9 A at 230 V (nominal)
Resistance:	Minimum 55.9 W Maximum 64.7 W
Heating type:	Linear, about 1° C / h
Output control temperature:	55-60° C
Output protection temperature:	80° C
Size:	930 x 930 mm
Material:	0.05 mm aluminium foil
Price:	NA